




QQ-3601A 三节精密静音滚珠滑轨 3-Fold Precise & silent ball bearing slide



NO.	材料厚度
①	1.2mm
②	1.2mm
③	1.2mm


Size inch	Slide Length mm	Slide Travel mm	A mm	B mm	C mm	Weight Capacity lbs/kg	Weight g/set	Carton set
12"	300	305	22	115	224	110/50	708	15
14"	350	355	67	147	288	99/45	826	15
16"	400	405	117	179	320	88/40	944	15
18"	450	455	167	179	384	77/35	1062	15
20"	500	505	217	211	416	66/30	1180	15
22"	550	555	267	243	448	55/25	1298	15

- **建议用途:**中承载的活动柜, 柜台抽屉, 一般家具或任何需要30公斤或以下承载, 要求全展的用途。
- **产品特点:**完全拉出, 采用32mm系列孔位, 通过中轨透视孔可直接安装, 安装时可微调间隙, 关闭防滑出, 快速分离机构。
- **表面处理:**蓝白锌, 黑色电泳, 三价铬环保镀锌。
- **承载重量:**77磅/35kgs (18" 滑轨)
- **材料选择:**冷轧钢, 不锈钢。

- **Suggested Applications:**medium-duty movable cabinet, desk drawer, ordinary furniture or any applications requiring 30kgs load or less and requiring full extension
- **Features:**100% Extension, with 32mm system hole, through the sight hole in the middle rail, the inner and outer ones can be installed directly, fine adjustment for gap is allowed during fixing, mechanism to prevent the drawer pops out, with the separable crossbar
- **Finish:**blue-white zinc plating, black electrophoresis, environmental zinc plating with trivalent chromium
- **Weight Capacity:**77lbs/35kgs(for 18")
- **Material:**cold-rolled steel, stainless steel



QQ-3601B 三节精密静音挂插滚珠滑轨 3-Fold Precise & silent bayonet mount ball bearing slide



NO.	材料厚度
①	1.2mm
②	1.2mm
③	1.2mm


Size inch	Slide Length mm	Slide Travel mm	A mm	B mm	Weight Capacity lbs/kg	Weight g/set	Carton set
12"	300	305	145	186	110/50	708	15
14"	350	355	195	236	99/45	826	15
16"	400	405	245	286	88/40	944	15
18"	450	455	295	336	77/35	1062	15
20"	500	505	345	386	66/30	1180	15
22"	550	555	395	436	55/25	1298	15
24"	600	605	445	486	44/20	1416	15

- **建议用途:**中承载的活动柜, 柜台抽屉, 一般家具或任何需要35公斤或以下承载, 要求全展的用途。
- **产品特点:**简便的挂插式安装, 快速分离机构, 避震珠条吸收冲撞, 防止抽屉弹出机构。
- **表面处理:**蓝白锌, 黑色电泳, 三价铬环保镀锌。
- **承载重量:**77磅/ (35kg) /组 (18" 滑轨)
- **材料选择:**冷轧钢, 不锈钢。


- **Suggested Applications:**medium-duty movable cabinet, desk drawer, ordinary furniture or any applications requiring 35kgs load or less and requiring full extension
- **Features:**100% extension, bayonet mounting-easy and quick installation and removal, with the separable crossbar, vibration prevention ball strip for absorbing impulsive force, mechanism to prevent the drawer pops out
- **Finish:**blue-white zinc plating, black electrophoresis, environmental zinc plating with trivalent chromium
- **Weight Capacity:**77lbs/35kgs(for 18")
- **Material:**cold-rolled steel, stainless steel



QQ-3501A 二节精密静音滚珠滑轨 2-Fold Precise & silent ball bearing slide



Thickness	
NO.	材料厚度
①	1.5mm
②	1.5mm



Size inch	Slide Length mm	Slide Travel mm	A mm	B mm	C mm	D mm	Weight Capacity lbs/kg	Weight g/set	Carton set
12"	300	225			96	224	110/50	612	20
14"	350	262.5			128	256	99/45	714	20
16"	400	300	64		128	320	88/40	816	20
18"	450	337.5	128		160	352	77/35	918	20
20"	500	375	128	64	192	416	66/30	1020	20
22"	550	412.5	128	64	192	448	55/25	1122	20
24"	600	450	192	64	224	512	44/20	1224	20


- **建议用途:**中承载的活动柜, 柜台抽屉, 一般家具或任何需要35公斤或以下承载, 要求3/4展的用途。
- **产品特点:**3/4拉出, 采用32mm系列孔位, 通过中轨透视孔可直接安装, 安装时可微调间隙, 关闭防滑出, 快速分离机构。
- **表面处理:**蓝白锌, 黑色电泳, 三价铬环保镀白锌。
- **承载重量:**77磅/35kgs (18" 滑轨)
- **材料选择:**冷轧钢, 不锈钢。
- **Suggested Applications:**medium-duty movable cabinet, desk drawer, ordinary furniture or any applications requiring 35kgs load or less and requiring 3/4 extension
- **Features:**75% Extension, with 32mm system hole, through the sight hole in the middle rail, the inner and outer ones can be installed directly, fine adjustment for gap is allowed during fixing, mechanism to prevent the drawer pops out, with the separable crossbar
- **Finish:**blue-white zinc plating, black electrophoresis, environmental zinc plating with trivalent chromium
- **Weight Capacity:**77lbs/35kgs(for 18")
- **Material:**cold-rolled steel, stainless steel



QQ-3501B 二节精密静音挂插滚珠滑轨 2-Fold Precise & silent bayonet mount ball bearing slide



Thickness	
NO.	材料厚度
①	1.5mm
②	1.5mm




Size inch	Slide Length mm	Slide Travel mm	A mm	B mm	Weight Capacity lbs/kg	Weight g/set	Carton set
12"	300	225	145	186	110/50	612	20
14"	350	262.5	195	236	99/45	714	20
16"	400	300	245	286	88/40	816	20
18"	450	337.5	295	336	77/35	918	20
20"	500	375	345	386	66/30	1020	20
22"	550	412.5	395	436	55/25	1122	20
24"	600	450	445	486	44/20	1224	20

- **建议用途:**中承载的活动柜, 柜台抽屉, 一般家具或任何需要35公斤或以下承载, 要求3/4展的用途。
- **产品特点:**3/4拉出, 简便的挂插式安装, 快速分离机构, 避震珠条吸收冲撞, 防止抽屉弹出机构。
- **表面处理:**蓝白锌, 黑色电泳, 三价铬环保镀白锌。
- **承载重量:**77磅/ (35kg) /组 (18" 滑轨)
- **材料选择:**冷轧钢, 不锈钢。
- **Suggested Applications:**medium-duty movable cabinet, desk drawer, ordinary furniture or any applications requiring 35kgs load or less and requiring 3/4 extension
- **Features:**3/4 extension, bayonet mounting-easy and quick installation and removal, with the separable crossbar, vibration prevention ball strip for absorbing impulsive force, mechanism to prevent the drawer pops out
- **Finish:**blue-white zinc plating, black electrophoresis, environmental zinc plating with trivalent chromium
- **Weight Capacity:**77lbs/35kgs(for 18")
- **Material:**cold-rolled steel, stainless steel



QQ-3502A 三节精密静音叠加重型滚珠滑轨 3-Fold Precise & silent overlapping heavy duty ball bearing slide




Size inch	Slide Length mm	Slide Travel mm	A mm	B mm	Weight Capacity lbs/kg	Weight g/set	Carton set
12"	300	305		192	188/85	1340	15
14"	350	355		224	177/80	1510	15
16"	400	405	160	288	166/75	1680	15
18"	450	455	192	320	155/70	1850	15
20"	500	505	224	384	144/65	2020	15
22"	550	555	256	416	133/60	2190	15
24"	600	605	288	480	122/55	2360	15
28"	700	705	320	576	111/50	2700	15

- **建议用途:**高承载的活动柜, 工业用柜, 食品柜, 货柜, 自动售货机, 自动取款机, 消防车, 救护车, 多用途运输车, 仓储设备机柜等要求全展开的用途。
- **产品特点:**100%完全拉出, 采用32mm系列孔位, 关闭防滑功能, 有可分离和不可分离设计。
- **表面处理:**镀蓝白锌, 黑色电泳, 三价铬环保镀锌。
- **承载重量:**155磅/70kgs (18" 滑轨)
- **材料选择:**冷轧钢, 不锈钢。
- **Suggested Applications:**high-load movable cabinet, industrial cabinet, food locker, shelves, vending machine, ATM, fire engine, ambulance, utility vehicle, storage equipment, server cabinet or any applications requiring full extension
- **Features:**100% Extension, with 32mm hole system, mechanism to prevent the drawer pops out, separable and inseparable are available
- **Finish:**blue-white zinc plating, black electrophoresis, environmental zinc plating with trivalent chromium
- **Weight Capacity:**155lbs/70kgs(for 18")
- **Material:**cold-rolled steel, stainless steel



QQ-3503A 二节精密静音挂插滚珠滑轨 2-Fold Precise & silent bayonet mount ball bearing slide



Size inch	Slide Length mm	Slide Travel mm	A mm	B mm	C mm	D mm	Weight Capacity lbs/kg	Weight g/set	Carton set
16.6"	422	270	7	53.6	60.6	328.15	88/40	861	15
19.3"	490	310	7	53.6	60.4	398.05	77/35	1020	15
25"	635	382	5	58	63	530.25	66/30	1295	15

- **建议用途:**洗衣机、冰箱、食品柜。
- **表面处理:**三价铬环保镀锌。
- **承载重量:**77磅/(35kgs)/组 (18" 滑轨)
- **材料选择:**冷轧钢, 不锈钢。
- **Suggested Applications:**Washing machine, Refrigerator, Ambry.
- **Finish:**environmental zinc plating with trivalent chromium
- **Weight Capacity:**77lbs/35kgs(for 18")
- **Material:**cold-rolled steel, stainless steel



永康市兴源工贸有限公司
XINGYUAN
Industrial & Trading Co., Ltd.

精密滚珠滑轨制造企业、真正的滑轨制造专家
Real Expert and Manufacturer for Precise Ball Bearing Slide
承载 (weight capacity): 44lbs/20kgs-18"滑轨。



27 系列

二节精密滚珠滑轨


2-FOLD PRECISE & SILENT BALL BEARING SLIDE

Http: //www.xingyuancn.com E-mail: ykxingyuan@163.net

永康市兴源工贸有限公司
XINGYUAN
Industrial & Trading Co., Ltd.



QQ-2701A 二节精密静音滚珠滑轨 2-Fold Precise & silent ball bearing slide



Size inch	Slide Length mm	Slide Travel mm	A mm	B mm	C mm	D mm	E mm	Weight Capacity lbs/kg	Weight g/set	Carton set
12"	300	225				96	224	66/30	222	10
14"	350	205				128	288	58/26	364	10
16"	400	300	288			160	320	50/23	506	8
18"	450	337.5		352		160	384	44/20	648	8
20"	500	375		352	416	192	416	38/17	790	8
22"	550	412.5		352	448	224	448	30/14	932	8
24"	600	450		384	480	224	480	22/10	1074	8

- 建议用途: 轻承载的活动柜, 柜台抽屉, 一般家具或任何需要20公斤或以下承载, 要求3/4展的用途。
- 产品特点: 3/4拉出, 快速分离机构, 防止抽屉弹出结构。
- 表面处理: 蓝白锌, 黑色电泳, 三价铬环保镀锌。
- 承载重量: 44磅/20kgs (18" 滑轨)
- 材料选择: 冷轧钢, 不锈钢。

- Suggested Applications: light-duty movable cabinet, desk drawer, ordinary furniture or any applications requiring 20kgs load or less and requiring 3/4 extension
- Features: 3/4 Extension, rapid separation of institutions, mechanism to prevent the drawer pops out
- Finish: blue-white zinc plating, black electrophoresis, environmental zinc plating with trivalent chromium
- Weight Capacity: 44lbs/20kgs (for 18")
- Material: cold-rolled steel, stainless steel